#	NEW WORK NOTES - P-101A
NOTE NUMBER	NOTE TEXT
#	
1	4" SANITERY SEWER. REFER TO CIVIL FOR FURTHER INFORMATION.
2	PROVIDE P-TRAP PER MANUFACTURER'S INSTUCTIONS
3	REFER TO WATER HEATER SCHEMATIC PROVIDED
4	1-1/4" DOMESTIC WATER. REFER TO CIVIL FOR FURTHER INFORMATION
5	6" FIRE SRINKLER FROM CITY SUPPLY & 4" TO REMOTE F.D.C. REFER TO CIVIL FOR CONTINUATION.
6	WATER HAMMER ARRESTOR. PDI-A



1 P-101A ENLARGED OFFICE PLUMBING PLAN – DOMESTIC WATER
1/4" = 1'-0"

0 2' 4' 8'



2 P-101A ENLARGED OFFICE PLUMBING PLAN – WASTE & VENT
1/4" = 1'-0"

0 2' 4' 8'



4 P-101A WATER RISER
NOT TO SCALE



3 P-101A WASTE AND VENT RISER
NOT TO SCALE

CSC DESIGN, INC.
ARCHITECTS & ENGINEERS
135 P RICKMAN INDUSTRIAL DR.
SUITE 100 CANTON, GA 30115
Phone: (770) 345-2579

© 2025, CSC Design. These drawings are protected by the copyright laws of the United States. These drawings or any part thereof may not be used for any purpose or reproduced in any form or by any means without the written consent of CSC Design.

GEORGIA REGISTERED No. PE036864 PROFESSIONAL ENGINEER KRUNAL M PATEL
4-24-2026

PROJECT NUMBER: 25-040

REVISIONS NO. DATE: ISSUE:

DRYWALL WAREHOUSE HWY 81
257 HIGHWAY 81
OXFORD, GA 30054
WALTON COUNTY, GEORGIA

ENLARGED OFFICE PLUMBING PLAN

P-101A

C:\Users\Total Engineers\Documents\P24_TE 26-020_jerryZP7ZQ.rvt
4/24/2026 9:38:30 AM