



- KEY NOTES (THIS SHEET ONLY):
- 1 ALL VISIBLE EXPOSED DUCTWORK SHALL BE ROUND SPIRAL DUCT. PROVIDE PAINT GRP FINISH. PAINT DUCT PER ARCHITECTURAL'S INSTRUCTIONS.
 - 2 REFER TO 1/M1.02 FOR CONTINUATION.
 - 3 NOT USED.
 - 4 REFER TO 1/M2.01 FOR CONTINUATION.
 - 5 TYPICAL YOUNG REGULATOR MODEL 270-896-LO CONCEALED CEILING REGULATOR WITH 7/8" THREADED CEILING CAP. PROVIDE BOWDEN CASING WIRE AS REQUIRED. CONTRACTOR SHALL FOLLOW MANUFACTURER'S INSTRUCTIONS FOR INSTALLING MANUAL VOLUME REGULATORS.
 - 6 CONTRACTOR SHALL COORDINATE CEILING TYPE WITH THE INTERIOR DESIGNER AND ARCHITECTURAL DRAWINGS PRIOR TO ORDERING DIFFUSERS. DIFFUSERS SHALL BE COMPATIBLE WITH THE INTERIOR DESIGNER AND ARCHITECTURAL PLANS, AS THE RCP IS STILL IN PROGRESS. TYPICAL FOR ALL GRILLES, REGISTERS, DIFFUSERS, AND AIR NOZZLES.

1 FELLOWSHIP HALL MECHANICAL PLAN - PHASE I
SCALE: 1/4"=1'-0"

FELLOWSHIP HALL MECHANICAL PLAN-PHASE I
**Retrofit & Renovations for
Madison Methodist Church**
1091 Confederate Highway
Madison, Georgia 30650

JOB NO.:	02405
DRAWN BY:	JWK/KMP
CHECKED BY:	KMP
DESCRIPTION:	CD-REVIEW-DOCS
DATE:	12.02.24
DESCRIPTION:	DD-REVIEW
DATE:	00.00.24
DESCRIPTION:	CD-REVIEW
DATE:	12.02.24
DESCRIPTION:	BID-CONSTRUCTION
DATE:	00.00.24
REVISIONS:	
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	

THESE DRAWINGS ARE THE PROPERTY OF GMARCHITECT AND ARE NOT TO BE REPRODUCED OR HELD WITHOUT PERMISSION AND CREDIT.
COPYRIGHT © 2024